

Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :  
American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH02051830

Applicant: VASEN INTERNATIONAL LIMITED  
FLAT 909-911 9/F KWONG SANG HONG CTR  
151-153 HOI BUN RD  
KWUN TONG KLN  
HK  
Attn: ZEN WONG

Date: Nov 24, 2016

Submitted sample said to be	:	
Item Name	:	<b>Foam Water Shooter</b>
Ref. No.	:	<b>WST-014</b>
Quantity	:	Four pieces
Labelled Age Group	:	"3+ yrs"
Packaging Provided	:	Yes
Vendor	:	Vasen
Buyer	:	Dunnes Store
Country of Origin	:	China



\*\*\*\*\*

For and on behalf of :  
Intertek Testing Services HK Ltd.

Angel Y.F. Cheung  
Vice President





Valued Quality. Delivered.

Hong Kong Government Recognized Service Supplier  
Approved Laboratory of The Woolmark Company

Members of :

American National Standards Institute  
American Society for Testing and Materials  
British Standards Institute

Hong Kong Association for Testing, Inspection and Certification Limited  
Hong Kong Toys Council

**Test Report**

Number: HKGH02051830

**Conclusion:**

The submitted sample was tested under the following requirements requested by the applicant, subject to the information stated in the remark and attached page(s) for details :

<u>Requirement</u>	<u>Result</u>
(1) EN71-1: 2014 - Mechanical and Physical Properties	Pass
(2) EN71-2 : 2011 + A1 : 2014 - Flammability Test	Pass
(3) EN71-3 : 2013 + A1:2014 - Migration of certain elements	Pass
(4) REACH Regulation (EC) no. 1907/2006, Annex XVII Items 51 & 52 & amendment no. 552/2009 - Phthalates content	Pass

\*\*\*\*\*



**Test Report**

Number: HKGH02051830

(1) Physical and Mechanical Tests

Test Standard : European Standard on Safety of Toys EN71-1:2014

Age group for testing : For Ages Over 3 Years

Clause	Requirement	Assessment
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	P
4.8	Points and Metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	NA
4.11	Mouth actuated toys and other toys intended to be put into mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non -electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
5	Toys intended for children under 36 months	
5.1	General requirements for toys intended for children under 36 months	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically driven ride-on toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
6	Packaging	NA



**Test Report**

Number: HKGH02051830

Clause	Requirement	Assessment
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectiles	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethingers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic / electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA

Abbreviation : P = Pass NA = Not Applicable

Below are additional information according to the Toy Safety Directive 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements and not accredited:

**Marking**

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and type, batch, serial or model number or other element allowing their identification shall be indicated on the product itself. In addition, toys or packagings shall also bear the CE-marking. After checking, it was found that

	Toy	Packaging
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Absent
Importer's name	Absent	Present
Importer's address	Absent	Present
Product identification code	Absent	Absent
CE-marking	Absent	Present

Date sample received : Nov 18, 2016

Test Period : Nov 18, 2016 to Nov 23, 2016

\*\*\*\*\*



**Test Report**

Number: HKGH02051830

(2) Flammability Test

Test Standard : European Standard on Safety of Toys EN71-2 : 2011 + A1 : 2014

Clause	Requirement	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Abbreviation : P = Pass NA = Not Applicable

Date sample received : Nov 18, 2016

Test Period : Nov 18, 2016 to Nov 23, 2016

(3) 19 Toxic Element Migration Test

Test Standard : EN71-3:2013 + A1:2014

Category (III): Scraped-off toy material:

	Result (mg/kg)			Limit (mg/kg)
	(1)	(2)	(3)	
Soluble Aluminium (Al)	<300	<300	<300	70000
Soluble Antimony (Sb)	<10	<10	<10	560
Soluble Arsenic (As)	<10	<10	<10	47
Soluble Barium (Ba)	<10	<10	<10	18750
Soluble Boron (B)	<50	<50	<50	15000
Soluble Cadmium (Cd)	<5	<5	<5	17
Soluble Chromium (III) (Cr III) ++	<10	<10	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	<0.1	<0.1	0.2
Soluble Cobalt (Co)	<10	<10	<10	130
Soluble Copper (Cu)	<10	<10	<10	7700
Soluble Lead (Pb)	<10	<10	<10	160
Soluble Manganese (Mn)	<10	<10	<10	15000
Soluble Mercury (Hg)	<10	<10	<10	94
Soluble Nickel (Ni)	<10	<10	<10	930
Soluble Selenium (Se)	<10	<10	<10	460
Soluble Strontium (Sr)	<100	<100	<100	56000
Soluble Tin (Sn)	<10	<10	<10	180000
Soluble Organic tin ++	<2.0	<2.0	<2.0	12
Soluble Zinc (Zn)	<100	<100	<100	46000

\*\*\*\*\*



**Test Report**

Number: HKGH02051830

	Result (mg/kg)	Limit (mg/kg)
	(4)	
Soluble Aluminium (Al)	<300	70000
Soluble Antimony (Sb)	<10	560
Soluble Arsenic (As)	<10	47
Soluble Barium (Ba)	<10	18750
Soluble Boron (B)	<50	15000
Soluble Cadmium (Cd)	<5	17
Soluble Chromium (III) (Cr III) ++	<10	460
Soluble Chromium (VI) (Cr VI) ++	<0.1	0.2
Soluble Cobalt (Co)	<10	130
Soluble Copper (Cu)	<10	7700
Soluble Lead (Pb)	<10	160
Soluble Manganese (Mn)	<10	15000
Soluble Mercury (Hg)	<10	94
Soluble Nickel (Ni)	<10	930
Soluble Selenium (Se)	<10	460
Soluble Strontium (Sr)	<100	56000
Soluble Tin (Sn)	<10	180000
Soluble Organic tin ++	<2.0	12
Soluble Zinc (Zn)	<100	46000

mg/kg = milligram per kilogram

++ : Unless the test results were marked with "^" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.

Organic tin test result was expressed as tributyl tin.

Tested Components:

- (1) Red foam (body of blaster).
- (2) Yellow foam (body of blaster).
- (3) Blue foam (body of blaster).
- (4) Orange plastic (handle, barrel, nozzle).

Date sample received : Nov 18, 2016

Test Period : Nov 18, 2016 to Nov 23, 2016

\*\*\*\*\*



**Test Report**

Number: HKGH02051830

(4) Phthalate Content Test

Test Method : EN14372, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Six Phthalate content:

Compounds	Result (% w/w)			Limit (% w/w)
	(1/2/3)	(4/5/6)	(7/8)	
Dibutyl phthalate (DBP)	<0.01	<0.01	<0.01	--
Diethyl hexyl phthalate (DEHP)	<0.01	<0.01	<0.01	--
Benzyl butyl phthalate (BBP)	<0.01	<0.01	<0.01	--
Sum of DBP,DEHP & BBP	<0.01	<0.01	<0.01	0.1
Diisononyl phthalate (DINP)	<0.01	<0.01	<0.01	--
Di-n-octyl phthalate (DnOP)	<0.01	<0.01	<0.01	--
Diisodecyl phthalate (DIDP)	<0.01	<0.01	<0.01	--
Sum of DINP,DnOP & DIDP	<0.01	<0.01	<0.01	0.1

The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) no. 1907/2006 & amendment no. 552/2009 for phthalate content in toys and childcare articles.

Tested Components:

- (1) Red foam (body of blaster).
- (2) Yellow foam (body of blaster).
- (3) Blue foam (body of blaster).
- (4) Orange plastic (handle, nozzle, end of blaster).
- (5) Translucent white plastic (barrel) (internal).
- (6) Black plastic (inner part of barrel) (internal).
- (7) Transparent glue (internal).
- (8) Translucent plastic (ring of inner part of barrel) (internal).

Date sample received : Nov 18, 2016

Test Period : Nov 18, 2016 to Nov 23, 2016

\*\*\*\*\*

End of report

*Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <http://www.intertek.com/terms/>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.*

*This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.*

*This report shall not be reproduced, except in full.*

